



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
<http://excelbislabs.com>  
License 122564

QA Testing  
1 of 1

## Packman 2.5G Blunt - Durban Poison

Sample ID: 2312EXL2936.15111

Strain: Durban Poison

Matrix: Plant

Type: Preroll

Sample Size: 700 ; Batch: PMDP12

Produced:

Collected: 01/15/2026

Received: 01/15/2026

Completed: 01/19/2026

Batch#: PMDP12

Client

PIVOT MANAGEMENT INC

Lic. # 122564



### Summary

| Test            | Date Tested | Result           |
|-----------------|-------------|------------------|
| Batch           |             | Pass             |
| Cannabinoids    | 01/19/2026  | Complete         |
| Foreign Matter  | 01/19/2026  | Pass             |
| Heavy Metals    | 01/19/2026  | Pass             |
| Microbials      | 01/19/2026  | Pass             |
| Moisture        | 01/19/2026  | 15.1% - Complete |
| Mycotoxins      | 01/19/2026  | Pass             |
| GCMS Pesticides | 01/19/2026  | Pass             |
| LCMS Pesticides | 01/19/2026  | Pass             |
| Water Activity  | 01/19/2026  | 0.52 aw - Pass   |

### Cannabinoids

Complete

0.2570%

Δ 9-THC

32.5860%

THCa

30.183%

Total Cannabinoids

| Analyte   | LOD<br>mg/g | LOQ<br>mg/g | Result<br>% | Result<br>mg/g | Result<br>mg/serving | Result<br>mg/package |
|-----------|-------------|-------------|-------------|----------------|----------------------|----------------------|
| CBC       | 0.257       | 0.780       | ND          | ND             | ND                   | ND                   |
| CBD       | 0.257       | 0.780       | 0.4869      | 4.869          | 4.869                | 4.869                |
| CBDa      | 0.257       | 0.780       | ND          | ND             | ND                   | ND                   |
| CBDV      | 0.257       | 0.780       | ND          | ND             | ND                   | ND                   |
| CBDVa     | 0.257       | 0.780       | ND          | ND             | ND                   | ND                   |
| CBG       | 0.257       | 0.780       | 0.2649      | 2.649          | 2.649                | 2.649                |
| CBGa      | 0.257       | 0.780       | ND          | ND             | ND                   | ND                   |
| CBN       | 0.257       | 0.780       | ND          | ND             | ND                   | ND                   |
| Δ8-THC    | 0.257       | 0.780       | ND          | ND             | ND                   | ND                   |
| Δ9-THC    | 0.257       | 0.780       | 0.2570      | 2.570          | 2.570                | 2.570                |
| THCa      | 0.257       | 0.780       | 32.5860     | 325.860        | 325.860              | 325.860              |
| THCV      | 0.257       | 0.780       | 0.5967      | 5.967          | 5.967                | 5.967                |
| Total THC |             |             | 28.835      | 288.349        | 288.349              | 288.349              |
| Total CBD |             |             | 0.487       | 4.869          | 4.869                | 4.869                |
| Total CBG |             |             | 0.265       | 2.649          | 2.649                | 2.649                |
| Total     |             |             | 30.183      | 301.834        | 301.834              | 301.834              |

Date Tested: 01/19/2026

Total THC = THCa \* 0.877 + Δ 9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001

*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
01/19/2026

Bryan Zahakaylo  
Analyst  
01/19/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.